



Narbutas Furniture Company, UAB
Tel. (8 5) 2107 922
Faks. (8 5) 2482 688
Šeškinės g. 55A. LT-07159 Vilnius

www.narbutas.com

| optima g | optima c | optima plus | uni | uni plus |



narbutas

narbutas

| optima g |




| optima c |



| optima plus |




| uni |



| uni plus |





optima g	4
optima c	6
optima plus	8
uni	14
uni plus	17



The system is exclusive for its choice of steel pipe-style legs of standard or adjustable height, allowing fast and easy extension of a table up to 800 mm from 650 mm in accordance with a height of a certain employee.



Metal frame installed underneath the desk provides the table with extra durability. The system offers either panel or perforated metal covers for the legs.





Ergonomic furniture system for those requiring functional working area.

Special C-form table legs featuring plastic insertions deliver professional electric wiring solution to keep your working area perfect.






| optima plus |





Classic office furniture system for those preferring maturity and durability. Attractive price and quality match.



Conservative design, thoughtful details give a space for making functional and complete working sites. Panel table legs feature up to 10 mm screw-out fixtures, designed to balance uneven floor.





| optima g |




| optima plus |



| optima c |



| optima meetings |



Fixed pedestals



PSP532
415x500x421 mm
|1|4|

PSP525
415x500x421 mm
|1|4|7|

Mobile pedestals



PSR540
415x500x610 mm
|1|

PSR541
415x500x610 mm
|1|4|

PSR535
415x500x610 mm
|1|4|7|

PUR642
430x600x600 mm
|2|4|5|8|

PUR635
430x600x600 mm
|2|4|5|6|8|

PSR532
415x500x510 mm
|1|4|

PSR525
415x500x510 mm
|1|4|7|

Desk high pedestals



PUS642
430x600x722 mm
|2|4|8|

PUS635
430x600x722 mm
|2|4|5|6|

PUS835
430x800x722 mm
|2|4|6|8|

PSS637
415x600x720 mm
|1|4|7|

PSS642
415x600x720 mm
|1|4|

PSS837
415x800x720 mm
|1|4|7|



Filing cabinets



PEX627
500x600x720 mm
|1|4|7|8|

PEX637
500x600x1020 mm
|1|4|7|8|

PEX647
500x600x1320 mm
|1|4|7|8|



- 1| Foil wrapped drawers
- 2| Metal-sided drawers
- 3| First drawer lock
- 4| Central locking

- 5| First pencil drawer
- 6| File drawer
- 7| Full extension file drawer suitable for A4 or foolscap filing
- 8| Anti-tilt mechanism

- 1| electric wiring hole cover
- 2-3| plastic wire holders
- 4| plastic wiring channel fixed under the table
- 5| horizontal wiring channel fixed to the connection unit
- 6| plastic leg insertion designed for wiring
- 7| vertical drag-out electric panel



UNIversal storage system is suitable for all desking systems. We offer the various modules of bookcases and cabinets in different heights and width with the depth being 425 mm. The system enables you to choose from sliding-, tambour-, hinged- or clear glass-doors. File drawers can also be fitted on the 800 and 1000 mm wide units, combined with doors or without.

600, 800, 1000 and 1200 mm wide cabinets allow you to utilize the space in your office. Doors, shelves (for 600, 800 and 1200 mm cabinets) and sides in UNI storage system are from E-1 approved 18 mm chipboard, shelves (for 1000 mm cabinets) and tops for all versions are from 25 mm chipboard covered with melamine.



X2F101

X5C081

X5F081



■ Cabinet's doors are lockable as standard.




■ Shelves are adjustable in the pre-drilled hole-row.



■ Wardrobes have a shelf with easy to use pullout coat hanger.




■ Doors, shelves (for 600, 800 and 1200 mm cabinets) and sides have 1,5 mm edges. Shelves (for 1000 mm cabinets) and tops have 3 mm edges.



■ Back panels are made of 16 mm chipboard covered with melamine. Cabinets are free standing and can be used as room dividers.



■ All cabinets have 10 mm height adjustment built into plinth. Adjustment access is from inside the cabinet.



■ All drawers have central locking. 1000 mm filing cabinets will accept both A4 and foolscap files, 800 mm filing cabinets only A4. Anti-tilting mechanism has been incorporated to assure only one drawer opening at the time, preventing the cabinet from tilting.



X5C061
X5C063

X5G081

X5H081

X5H062

Sliding- and tambour-doors save space in the office area. All tambour doors are made from hardwearing plastic in metallic colour.



X2S121


X3S121

X5S121
X5S122
X5S123



X3T101

X2T101



Uni Plus consists of 3 side opening tambour cupboards extending the Uni range, and is an additional solution for saving office space and maximizing storage capacity. An extensive range of internal fittings enables everyone to find the best choice of filing solution. Internals are interchangeable at any time. All tambour doors are made from hardwearing plastic in metallic colour. Versatility of 3 heights available:
2 H – 834 mm
3 H – 1200 mm
5 H – 1954 mm
Depth of 475mm ensures the ability to accept foolscap filing.
Internal fittings include shelf, lateral filing shelf, pull out filing cradle, lateral filing cradle, shelf with 5 dividers.




U5T101


U3T101

U2T101


| optima g |





| optima c |



| optima plus |




| uni |




| uni plus |



| MELAMINE |



| METAL PART |




The company uses raw materials of E1 standard; this means that furniture is made from environment-friendly materials only.

| MELAMINE |



| METAL PART |



The company uses raw materials of E1 standard; this means that furniture is made from environment-friendly materials only.